

# **XWiki Scheduler Job Class**

Unbekannter Benutzer

2014/06/29 19:26

# Inhaltsverzeichnis

Class properties .....	3
Create a new document .....	3
Existing documents .....	3
The class sheets .....	3
The class template .....	3

## Class properties

- Job Name (jobName: String)
- Job Description (jobDescription: TextArea)
- Job Class (jobClass: String)
- Status (status: String)
- Cron Expression (cron: String)
- Job Script (script: TextArea)
- Job execution context user (contextUser: String)
- Job execution context lang (contextLang: String)
- Job execution context database (contextDatabase: String)
- *You can use the class editor to [add or modify the class properties](#).*

## Create a new document

Space: Document:

## Existing documents

- [WatchListHourlyNotifier](#)
- [WatchListWeeklyNotifier](#)
- [WatchListDailyNotifier](#)

## The class sheets

The *Sheet* allows to control the presentation of documents of this data type. You can use the default presentation, which enumerates all the available fields, or you can design your own presentation. You can also choose different presentations for the viewing and for the editing modes.

The sheet is not bound to the class so it won't be applied automatically when a document that has an object of this class is displayed.

[View the sheet document \(XWiki.SchedulerJobSheet\) »](#)

## The class template

The *Template* is the document used as the model for documents of this data type. It contains an instance of your *Class*.

[View the template document \(XWiki.SchedulerJobTemplate\) »](#)